


Recommended Cleaning & Care

BUZIL-WERK Wagner GmbH & Co. KG

BELGIAN GRANITE FLOOR COVERINGS (PETIT GRANITE/BELGIAN HARD ROCK)



The usual trade designation of "Belgian granite" for this stone is in fact incorrect, as it is not a granite, but rather a limestone. Bituminous lime mass contains deposits of fossil fragments that appear as white to grey, round to straight-edged gravels.

CLEANING

DEEP CLEANING

	Dirt	Treatment	Cleaning device
Pick up loose dirt, and remove mortar, plaster residue, and colour stains manually using a scraper.	LIME DEPOSITS in areas with high water hardness, as well as cement residue, can only be removed using light mechanical movement and O Tens Azid G 501.	Pre-wet the floor covering and apply the cleaning solution.	
		Deep clean using a single-disc machine and a white pad. <i>PLEASE NOTE: Do not use any cement residue removers!</i>	
	Pick up the loosened dirt using a wet vacuum cleaner, and rinse with water.	 	
	RESIDUE FROM CARE PRODUCTS in the form of coatings and care products can be removed using Corridor® Unic Ultra S 707, Corridor® Power Stripper S 708 or Planta® Multi Stripper P 321.	Apply the cleaning solution evenly over the floor, and leave it to work for approximately 10 to 15 minutes. <i>PLEASE NOTE: Do not allow the cleaning solution to dry.</i>	
		Deep clean the covering using a single-disc machine and a blue pad.	
		Pick up the loosened dirt using a wet vacuum cleaner, and rinse with water.	 

Recommended Cleaning & Care

BUZIL-WERK Wagner GmbH & Co. KG

CONTINUED: CLEANING BELGIAN GRANITE FLOOR COVERINGS

INTENSIVE CLEANING

	Dirt	Treatment	Cleaning device
If necessary, pick up loose dirt.	HEAVIER DIRT THAT IS ALKALINE-SOLUBLE like protein, oil and grease or foodstuff residue e.g. coffee, red wine etc. can be removed by intensive cleaning using Maradin HC 43.	Apply the cleaning solution evenly over the floor, and leave it to work for a short time.	
		Clean using a single-disc machine and a red pad.	
		Pick up the loosened dirt using a wet vacuum cleaner, and rinse with water.	

DAILY ROUTINE CLEANING

	Dirt	Treatment	Cleaning device
Microfibre-based flat mops should be used to achieve optimum cleaning results.	ORGANIC/INORGANIC CONTAMINATION like protein, oil and grease or foodstuff residue e.g. coffee, red wine etc.	Products with a significant care element, such as the soap-based Buz® Soap G 240 wipe care product or Corridor® Daily S 780 and Planta® Cleen P 315 water-soluble polymers, are well-suited to daily routine cleaning.	
		The ultra-moistening Roca Wipe R 300 floor maintenance cleaner is particularly well-suited if the floor covering is impregnated or highly polished.	

CARE

INITIAL TREATMENT

Care	Treatment	Cleaning device
To retain the slip resistance and appearance of these natural stone coverings, they must not be coated, impregnated or subject to initial treatment. However, if it is necessary to apply a coating because of a high level of dirt, Roca Dispers R 200 is a very good option.	This full care agent for stone floors is applied evenly and in undiluted form, in 2-3 thin layers, and each individual layer must be left to dry completely.	
	Polishing is not required.	
Perform initial treatment with a wipe care product; the use of the soap-based Buz® Soap G 240 wipe care product or the polymer-based Corridor® Daily S 780 wipe care product is recommended as an alternative way to care for the floor covering.	Wet and wipe the floor covering, and leave it to dry.	
	After drying, polish the floor covering using an appropriate pad.	

Recommended Cleaning & Care

BUZIL-WERK Wagner GmbH & Co. KG

CONTINUED: CARING FOR BELGIAN GRANITE FLOOR COVERINGS

IMPREGNATION

Care	Treatment	Cleaning device
<p>To significantly reduce the dirt absorption capacity of the floor covering, it is impregnated with Roca Pregno R 100.</p> <p><i>Detailed information on impregnation using the Roca system is available in our "Impregnation" cleaning recommendation. PLEASE NOTE: Impregnation is only possible on non-primed coverings that have also not been subject to initial treatment.</i></p>	<p>Use a flat mop to apply Roca Pregno R 100 undiluted, in thin layers.</p>	
	<p>After a drying time of approximately 30 minutes, remove any excess product that has not yet permeated using a squeegee, and then polish the covering with a soft, absorbent pad (e.g. Coral rosa from Dolly).</p>	