

Recommended Cleaning & Care

BUZIL-WERK Wagner GmbH & Co. KG

COMPOSITE STONE FLOOR COVERINGS

Composite stone is artificial stone such as terrazzo or exposed aggregate concrete. The slabs consist of a concrete sublayer and a cement-based top layer made from coloured rock gravel. Jura, travertine, shell, limestone, quartz or basalt are mainly used for the gravel, while Portland cement is generally used as bonding agent. Composite stone is highly sensitive to acids and strong bases.

PLEASE NOTE: Do not confuse composite stone with agglomerates. Although they look similar, they have different material properties.



CLEANING

DEEP CLEANING

	Dirt	Treatment	Cleaning device
Pick up loose dirt, and remove any mortar, plaster residue, and colour stains manually using a scraper.	LIME DEPOSITS in areas with high water hardness, as well as cement residue, can only be removed using light mechanical movement and O Tens Azid G501.	Pre-wet the floor covering and apply the cleaning solution.	
		Deep clean using a single-disc machine and a red/blue pad. <i>PLEASE NOTE: Do not use any cement residue removers!</i>	
	Pick up the loosened dirt using a wet vacuum cleaner, and rinse with water		
	RESIDUE FROM CARE PRODUCTS in the form of coatings and care products can be removed using Corridor® Unic Ultra S 707, Corridor® Power Stripper S 708 or Planta® Multi Stripper P 321.	Apply the cleaning solution evenly over the floor, and leave it to work for approximately 10 to 15 minutes. <i>PLEASE NOTE: Do not allow the cleaning solution to dry.</i>	
		Deep clean the covering using a single-disc machine and a red/blue pad.	
		Pick up the loosened dirt using a wet vacuum cleaner, and rinse with water.	

Recommended Cleaning & Care

BUZIL-WERK Wagner GmbH & Co. KG

CONTINUED: CLEANING COMPOSITE STONE FLOOR COVERINGS

INTENSIVE CLEANING

	Dirt	Treatment	Cleaning device
Pick up loose dirt.	HEAVIER DIRT THAT IS ALKALINE-SOLUBLE like protein, oil and grease or foodstuff residue e.g. coffee, red wine etc. can be removed by intensive cleaning using Indumaster® Universal IR 55 or Maradin HC 43.	Apply the cleaning solution evenly over the floor, and leave it to work for a short time.	
		Clean using a single-disc machine and a red pad.	
		Pick up the loosened dirt using a wet vacuum cleaner, and rinse with water.	

DAILY ROUTINE CLEANING

	Dirt	Treatment	Cleaning device
Microfibre-based flat mops should be used to achieve optimum cleaning results.	ORGANIC/INORGANIC CONTAMINATION like protein, oil and grease or foodstuff residue e.g. coffee, red wine etc.	Products with a minor care element such as the water-soluble-polymer-based Unibuz G 235, Planta® Clean P 315 and Corridor® Daily S 780 wipe care products are well-suited to daily routine cleaning.	
		The ultra-moistening Roca Wipe R 300 floor maintenance cleaner is particularly well-suited if the floor covering is impregnated or highly polished.	

CARE

INITIAL TREATMENT

Care	Treatment	Cleaning device
This floor covering can be subject to initial treatment with Roca Dispers R 200.	This full care agent for stone floors is applied evenly and in undiluted form, in 2-3 thin layers, and each individual layer must be left to dry completely.	
	Polishing is not required.	

CRYSTALLISATION

Crystallisation has a positive effect on the physical and visual properties of the floor. Detailed information on this is available in our "Crystallisation" cleaning recommendation.

Recommended Cleaning & Care

BUZIL-WERK Wagner GmbH & Co. KG

CONTINUED: CARING FOR COMPOSITE STONE FLOOR COVERINGS

IMPREGNATION

Care	Treatment	Cleaning device
<p>To significantly reduce the dirt absorption capacity of the floor covering, it is impregnated with Roca Pregno R 100.</p> <p><i>Detailed information on impregnation using the Roca system is available in our "Impregnation" cleaning recommendation. PLEASE NOTE: Impregnation is only possible on non-primed coverings that have also not been subject to initial treatment.</i></p>	<p>Use a flat mop to apply Roca Pregno R 100 undiluted, in thin layers.</p>	
	<p>After a drying time of approximately 30 minutes, remove any excess product that has not yet permeated using a squeegee, and then polish the covering with a soft, absorbent pad (e.g. Coral rosa from Dolly).</p>	