


# Recommended Cleaning & Care

BUZIL-WERK Wagner GmbH & Co. KG

## GRANITE FLOOR COVERINGS



Granite is a plutonic rock. It is usually off-white, reddish or greenish, and is generally speckled with black. Granite is made up of quartz, feldspar and mica. The stone has a fine or medium to coarse-grained structure which is very hard, polishable (using diamond discs) and weatherproof. Granite is sawn from rough blocks, and its surface is then sanded. Granite surface finishes ranging from high-gloss to roughened are used as floor coverings. Granite is for the most part resistant to acids (with the exception of hydrochloric acid, and to a limited extent, phosphoric acid), alkalis (with the exception of caustic soda), and solvents. As a hard stone, granite is resistant to mechanical strain; however, the more the surface is polished, the more sensitive it becomes to scratches.

© stein-zeit köllnreiter GesmbH

### CLEANING

#### DEEP CLEANING

	Dirt	Treatment	Cleaning device
Pick up loose dirt, and remove any mortar, plaster residue, and colour stains manually using a scraper.	<b>LIME DEPOSITS</b>  liek cement residue in areas with high water hardness, as well as after renovations can be removed using Bucasan® Clear G 463.	Pre-wet the floor covering (important for protecting the cement joints!), and apply the cleaning solution.	
		Deep clean using a single-disc machine and a white brush or white pad. <i>PLEASE NOTE: Do not use any cement residue removers!</i>	
		Pick up the loosened dirt using a wet vacuum cleaner, and rinse with water.	
	<b>RESIDUE FROM CARE PRODUCTS</b>  in the form of residual coatings can be removed using Corridor® Unic Ultra S 707, Corridor® Power Stripper S 708 or Planta® Multi Stripper P 321.	Apply the cleaning solution evenly over the floor, and leave it to work for approximately 10 to 15 minutes. <i>PLEASE NOTE: Do not allow the cleaning solution to dry.</i>	
		Deep clean the covering using a single-disc machine and a blue pad.	
		Pick up the loosened dirt using a wet vacuum cleaner, and rinse with water.	

# Recommended Cleaning & Care

BUZIL-WERK Wagner GmbH & Co. KG

## CONTINUED: CLEANING GRANITE FLOOR COVERINGS

### DEEP CLEANING

	Dirt	Treatment	Cleaning device
Pick up loose dirt, and remove any mortar, plaster residue, and colour stains manually using a scraper.	<b>ORGANIC/INORGANIC CONTAMINATION</b>	Apply the cleaning solution evenly over the floor, and leave it to work for approximately 10 to 15 minutes.	
	e.g. foodstuff residue e.g. coffee, red wine etc., heavy oil, grease and protein deposits, can be removed using Erol® G 490.	Deep clean the covering using a single-disc machine and a microfibre, active fibre or melamine resin pad.	
		Pick up the loosened dirt using a wet vacuum cleaner, and rinse with water.	 

### INTENSIVE CLEANING

	Dirt	Treatment	Cleaning device
Pick up loose dirt, and remove any mortar, plaster residue, and colour stains manually using a scraper.	<b>HEAVIER DIRT THAT IS ALKALINE-SOLUBLE</b>	Apply the cleaning solution evenly over the floor, and leave it to work for a short time	
	like protein, oil and grease or foodstuff residue e.g. coffee, red wine etc. can be removed by intensive cleaning using Maradin HC 43.	Clean using a single-disc machine and a red pad.	
		Pick up the loosened dirt using a wet vacuum cleaner, and rinse with water.	 

### DAILY ROUTINE CLEANING

	Dirt	Treatment	Cleaning device
Microfibre cloths or pads must always be used in order to achieve a satisfactory cleaning result.	<b>ORGANIC/INORGANIC CONTAMINATION</b> like protein, oil and grease or foodstuff residue e.g. coffee, red wine etc.	Products without a care element, such as <b>POLYBUZ® TRENDY T 201 AND BUZIL® WIPE G 270</b> gloss cleaners, or the high-moistening <b>ROCA WIPE R 300</b> floor cleaner, are well-suited to daily routine cleaning.	

# Recommended Cleaning & Care

BUZIL-WERK Wagner GmbH & Co. KG

## CONTINUED: CARING FOR GRANITE FLOORS

### INITIAL TREATMENT

Care	Treatment	Cleaning device
<p>In order to retain slip resistance and the look of the natural stone coverings, they should not be coated, impregnated or subject to initial treatment. However, if it is necessary to apply a coating, <b>ROCA DISPERS R 200</b> is a very good option.</p>	<p>This full care agent for stone floors is applied evenly and in undiluted form, in 2-3 thin layers, and each individual layer must be left to dry completely.</p>	
	<p>Polishing is not required.</p>	

### IMPREGNATION

Care	Treatment	Cleaning device
<p>To significantly reduce the dirt absorption capacity of the floor covering, it is impregnated with <b>ROCA PREGNO R 100</b>.</p> <p><i>Detailed information on impregnation using the Roca system is available in our "Impregnation" cleaning recommendation. PLEASE NOTE: Impregnation is only possible on non-primed coverings that have also not been subject to initial treatment.</i></p>	<p>Use a flat mop to apply <b>ROCA PREGNO R 100</b> undiluted, in thin layers.</p>	
	<p>After a drying time of approximately 5 to 10 minutes, remove any excess product that has not yet permeated using a squeegee, and then polish the covering with a soft, absorbent pad (e.g. Coral rosa from Dolly).</p>	