


Recommended Cleaning & Care

BUZIL-WERK Wagner GmbH & Co. KG

MARBLE AND JURA FLOOR COVERINGS









Marble coverings are sawn from raw blocks of stone, and then sanded to any finish from rough to high-gloss. Marble, a relatively soft limestone, is sensitive to mechanical movement. In addition, the rock is very sensitive to acids, as well as alkaline cleaners with a pH-value greater than 10.

© stein-zeit köllnreither GesmbH

CLEANING

DEEP CLEANING




	Dirt	Treatment	Cleaning device
Pick up loose dirt, and remove any mortar, plaster residue, and colour stains manually using a scraper.	LIME DEPOSITS in areas with high water hardness, as well as cement residue, can only be removed using light mechanical movement and O Tens Azid G 501.	Pre-wet the floor covering and apply the cleaning solution.	
		Deep clean using a single-disc machine and a white brush or white pad. <i>PLEASE NOTE: Do not use any cement residue removers!</i>	
		Pick up the loosened dirt using a wet vacuum cleaner, and rinse with water.	
	RESIDUE FROM CARE PRODUCTS in the form of residual coatings can be removed using Corridor® Unic Ultra S 707, Corridor® Power Stripper S 708 or Planta® Multi Stripper P 321.	Apply the cleaning solution evenly over the floor, and leave it to work for approximately 10 to 15 minutes. <i>PLEASE NOTE: Do not allow the cleaning solution to dry.</i>	
		Deep clean the covering using a single-disc machine and a red/blue pad.	
		Pick up the loosened dirt using a wet vacuum cleaner, and rinse with water.	

Recommended Cleaning & Care


BUZIL-WERK Wagner GmbH & Co. KG

CONTINUED: CLEANING MARBLE AND JURA FLOOR COVERINGS

INTENSIVE CLEANING


	Dirt	Treatment	Cleaning device
Pick up loose dirt, and remove any mortar, plaster residue, and colour stains manually using a scraper.	HEAVIER DIRT THAT IS ALKALINE-SOLUBLE	Apply the cleaning solution evenly over the floor, and leave it to work for a short time	
	like protein, oil and grease or foodstuff residue e.g. coffee, red wine etc. can be removed by intensive cleaning using Maradin HC 43.	Clean using a single-disc machine and a red pad.	
		Pick up the loosened dirt using a wet vacuum cleaner, and rinse with water.	

DAILY ROUTINE CLEANING

	Dirt	Treatment	Cleaning device
Microfibre cloths or pads must always be used in order to achieve a satisfactory cleaning result.	ORGANIC/INORGANIC CONTAMINATION Products with a minor care element such as the water-soluble polymer-based Unibuz G 235 and Planta® Clean P 315 wipe care products are well-suited to daily routine cleaning. The ultra-moistening Roca Wipe R 300 floor maintenance cleaner is particularly well-suited if the floor covering is impregnated or highly polished.	Manual floor treatment	

CARE

INITIAL TREATMENT

Care	Treatment	Cleaning device
In order to retain the slip resistance and appearance of natural stone coverings, they should not be coated, impregnated or subject to initial treatment. However, if it is necessary to apply a coating, Roca Dispers R 200 is a very good option.	This full care agent for stone floors is applied evenly and in undiluted form, in 2-3 thin layers, and each individual layer must be left to dry completely.	
	Polishing is not required.	

Recommended Cleaning & Care


BUZIL-WERK Wagner GmbH & Co. KG

CONTINUED: CARING FOR MARBLE AND JURA FLOOR COVERINGS

CRYSTALLISATION

Crystallisation has a positive effect on the physical and visual properties of the floor. Detailed information on this is available in our "Crystallisation" cleaning recommendation.

IMPREGNATION

Care	Treatment	Cleaning device
<p>To significantly reduce the dirt absorption capacity of the floor covering, it is impregnated with ROCA PREGNO R 100.</p> <p><i>Detailed information on impregnation using the Roca system is available in our "Impregnation" cleaning recommendation.</i></p> <p><i>PLEASE NOTE: Impregnation is only possible on non-primed coverings that have also not been subject to initial treatment.</i></p>	<p>Use a flat mop to apply ROCA PREGNO R 100 undiluted, in thin layers.</p>	
	<p>After a drying time of approximately 30 minutes, remove any excess product that has not yet permeated using a squeegee, and then polish the covering with a soft, absorbent pad (e.g. Coral rosa from Dolly).</p>	