# Recommended Cleaning & Care

BUZIL-WERK Wagner GmbH & Co. KG

SOLNHOFEN FLOOR COVERINGS

Solnhofen limestone forms from deposits in the sea. The individual slabs are yellow-white to red-yellow in colour. Solnhofen limestone is available sanded, polished and cleaved. Solnhofen limestone, a relatively soft limestone, is sensitive to acids and abrasive mechanical movements, as well as alkaline cleaning agents with a pH-value above 10.

CLEANING

DEEP CLEANING

	Dirt	Treatment	Cleaning device
Pick up loose dirt, and remove any mortar, plaster residue, and colour stains manually using a scraper.	**LIME DEPOSITS** in areas with high water hardness, as well as cement residue, can only be removed using light mechanical movement and O Tens Azid G 501.	Pre-wet the floor covering and apply the cleaning solution.	
		Deep clean using a single-disc machine and a white pad. *PLEASE NOTE: Do not use any cement residue removers!*	
		Pick up the loosened dirt using a wet vacuum cleaner, and rinse with water.	
	RESIDUE FROM CARE PRODUCTS in the form of coatings and care products can be removed using Corridor® Unic Ultra S 707, Corridor® Power Stripper S 708 or Planta® Multi Stripper P 321.	Apply the cleaning solution evenly over the floor, and leave it to work for approximately 10 to 15 minutes. *PLEASE NOTE: Do not allow the cleaning solution to dry.*	
		Deep clean the covering using a single-disc machine and a blue/red pad.	
		Pick up the loosened dirt using a wet vacuum cleaner, and rinse with water.	

Recommended Cleaning & Care

BUZIL-WERK Wagner GmbH & Co. KG

CONTINUED: CLEANING SOLNHOFEN FLOOR COVERINGS

INTENSIVE CLEANING

	Dirt	Treatment	Cleaning device
Pick up loose dirt.	**HEAVIER DIRT THAT IS ALKALINE-SOLUBLE** like protein, oil and grease or foodstuff residue e.g. coffee, red wine etc. can be removed by intensive cleaning using Maradin HC 43.	Apply the cleaning solution evenly over the floor, and leave it to work for a short time	
		Clean using a single-disc machine and a red pad	
		Pick up the loosened dirt using a wet vacuum cleaner, and rinse with water.	

DAILY ROUTINE CLEANING

	Dirt	Treatment	Cleaning device
Microfibre-based flat mops should be used to achieve optimum cleaning results.	**ORGANIC/INORGANIC CONTAMINATION** like protein, oil and grease or foodstuff residue e.g. coffee, red wine etc.	Products with a minor care element such as the water-soluble-polymer-based Unibuz G 235, Corridor® Daily S 780 and Planta® Cleen P 315 wipe care products are well-suited to daily routine cleaning.	
		The ultra-moistening Roca Wipe R 300 floor maintenance cleaner is particularly well-suited if the floor covering is impregnated or highly polished.	

CARE

INITIAL TREATMENT

Care	Treatment	Cleaning device
In order to retain slip resistance and the look of the natural stone coverings, they should not be coated, impregnated or subject to initial treatment. However, if it is necessary to apply a coating, Roca Dispers R 200 is a very good option.	This full care agent for stone floors is applied evenly and in undiluted form, in 2-3 thin layers, and each individual layer must be left to dry completely.	
	Polishing is not required.	

Recommended Cleaning & Care

BUZIL-WERK Wagner GmbH & Co. KG

CONTINUED: CARING FOR SOLNHOFEN FLOOR COVERINGS

IMPREGNATION

Care	Treatment	Cleaning device
To significantly reduce the dirt absorption capacity of the floor covering, it is impregnated with Roca Pregno R 100. *Detailed information on impregnation using the Roca system is available in our "Impregnation" cleaning recommendation. PLEASE NOTE: Impregnation is only possible on non-primed coverings that have also not been subject to initial treatment.*	Use a flat mop to apply Roca Pregno R 100 undiluted, in thin layers.	
	After a drying time of approximately 30 minutes, remove any excess product that has not yet permeated using a squeegee, and then polish the covering with a soft, absorbent pad (e.g. Coral rosa from Dolly).	