


Recommended Cleaning & Care

BUZIL-WERK Wagner GmbH & Co. KG

TRAVERTINE FLOOR COVERINGS

Travertine is a bulky, highly crystalline, non-transparent, aged, layered limestone that is very porous. If travertine is cut along the layering, it looks like any other Jura stone. However, in order to give the travertine its own structure, it must be cut against the grain. This heavily emphasises almost parallel, originally horizontal layers of pores. Travertine is yellow to brown in colour and does not contain any fossils. As a small amount of dirt is deposited in the pores, these are often filled, which impairs the characteristic appearance of travertine. Travertine is sensitive to acids, abrasive pads, brushes, and cleaning agents with a pH-value greater than 10.



CLEANING

DEEP CLEANING

	Dirt	Treatment	Cleaning device
Pick up loose dirt, and remove any mortar, plaster residue, and colour stains manually using a scraper.	LIME DEPOSITS in areas with high water hardness, as well as cement residue, can only be removed using light mechanical movement and 0 Tens Azid G 501.	Pre-wet the floor covering and apply the cleaning solution.	
		Deep clean using a single-disc machine and a white pad. <i>PLEASE NOTE: Do not use any cement residue removers!</i>	
		Pick up the loosened dirt using a wet vacuum cleaner, and rinse with water.	
	RESIDUE FROM CARE PRODUCTS in the form of coatings and care products can be removed using Corridor® Unic Ultra S 707, Corridor® Power Stripper S 708 or Planta® Multi Stripper P 321.	Apply the cleaning solution evenly over the floor, and leave it to work for approximately 10 to 15 minutes. <i>PLEASE NOTE: Do not allow the cleaning solution to dry.</i>	
		Deep clean the covering using a single-disc machine and a red/blue pad.	
		Pick up the loosened dirt using a wet vacuum cleaner, and rinse with water.	

Recommended Cleaning & Care

BUZIL-WERK Wagner GmbH & Co. KG

CONTINUED: CLEANING TRAVERTINE FLOOR COVERINGS

INTENSIVE CLEANING

	Dirt	Treatment	Cleaning device
<p>Pick up loose dirt, and remove any mortar, plaster residue, and colour stains manually using a scraper.</p>	<p>HEAVIER DIRT THAT IS ALKALINE-SOLUBLE</p> <p>like protein, oil and grease or foodstuff residue e.g. coffee, red wine etc. can be removed by intensive cleaning using Maradin HC 43.</p>	<p>Apply the cleaning solution evenly over the floor, and leave it to work for a short time.</p>	
		<p>Deep clean the floor covering using a single-disc machine and a red pad.</p>	
		<p>Pick up the loosened dirt using a wet vacuum cleaner, and rinse with water.</p>	

DAILY ROUTINE CLEANING

	Dirt	Treatment	Cleaning device
<p>Microfibre-based flat mops should be used to achieve optimum cleaning results.</p>	<p>ORGANIC/INORGANIC CONTAMINATION</p> <p>like protein, oil and grease or foodstuff residue e.g. coffee, red wine etc</p> <p>Products with a minor care element such as the water-soluble-polymer-based Unibuz G 235 and Planta® Clean P 315, Corridor® Daily S 780 or Corridor® Cibreeze Wipe S 790 wipe care products, are well-suited to daily routine cleaning.</p> <p>The ultra-moistening Roca Wipe R 300 floor maintenance cleaner is particularly well-suited if the floor covering is impregnated or highly polished.</p>	<p>Manual floor cleaning</p>	

CARE

INITIAL TREATMENT

Care	Treatment	Cleaning device
<p>In order to retain the slip resistance and appearance of natural stone coverings, they should not be coated, impregnated or subject to initial treatment. However, if it is necessary to apply a coating, Roca Dispers R 200 is a very good option.</p>	<p>This full care agent for stone floors is applied evenly and in undiluted form, in 2-3 thin layers, and each individual layer must be left to dry completely.</p>	
	<p>Polishing is not required.</p>	

Recommended Cleaning & Care

BUZIL-WERK Wagner GmbH & Co. KG

CONTINUED: CARING FOR TRAVERTINE FLOOR COVERINGS

IMPREGNATION

Care	Treatment	Cleaning device
<p>To significantly reduce the dirt absorption capacity of the floor covering, it is impregnated with Roca Pregno R 100.</p> <p><i>Detailed information on impregnation using the Roca system is available in our "Impregnation" cleaning recommendation. PLEASE NOTE: Impregnation is only possible on non-primed coverings that have also not been subject to initial treatment.</i></p>	<p>Use a flat mop to apply Roca Pregno R 100 undiluted, in thin layers.</p>	
	<p>After a drying time of approximately 30 minutes, remove any excess product that has not yet permeated using a squeegee, and then polish the covering with a soft, absorbent pad (e.g. Coral rosa from Dolly).</p>	